

This appendix refers to the EPD, MD-22072-EN, developed according to EN15804+A2:2019. Results in the appendix communicates LCA results in the format described in EN15804+A1:2013, in order to accommodate a need in the transition period between the two standard revisions. The appendix cannot stand alone, as the reference EPD describes the basis of the assessment.

The following products and supplementary datasets are included:

- **Page 1-2:** [Solid Parquet Block \(DK\) 15 mm thickness \(Untreated\)](#)
- **Page 2-3:** [Solid Parquet Block \(EU\) 16 mm thickness \(Untreated\)](#)
- **Page 3-4:** [Whalebone 16 mm thickness \(Untreated\)](#)
- **Page 4-5:** [Chevron 16 mm thickness \(Untreated\)](#)
- **Page 5-6:** [Solid Line 10 mm thickness \(Untreated\)](#)
- **Page 6-7:** [Industrial Parquet 10 mm thickness \(Untreated\)](#)
- **Page 7-8:** [End Grain Floor 15 mm thickness \(Untreated\)](#)
- **Page 8-9:** [Mosaic Parquet 8 mm thickness \(Untreated\)](#)
- **Page 9-10:** [Supplementary Datasets – Lacquer Treatment](#)
- **Page 10-11:** [Supplementary Datasets – Oil Treatment](#)

Scaling factors for floor thickness can be found in the reference EPD.

Solid Parquet Block (DK) 15 mm thickness (Untreated):

Solid Parquet Block (DK) 15 mm thickness (Untreated) ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	2.16E+00	0.00E+00	1.61E-01	1.79E-01	0.00E+00	-1.43E+00
ODP	[kg CFC11-eq.]	2.70E-07	0.00E+00	3.95E-08	2.97E-08	0.00E+00	-5.72E-08
AP	[kg SO ₂ -eq.]	8.85E-03	0.00E+00	5.75E-04	1.60E-03	0.00E+00	-2.53E-03
EP	[kg PO ₄ ³⁻ -eq.]	4.04E-03	0.00E+00	1.14E-04	1.33E-03	0.00E+00	-1.83E-03
POCP	[kg ethene-eq.]	9.30E-04	0.00E+00	2.09E-05	4.39E-05	0.00E+00	-1.34E-04
ADPE	[kg Sb-eq.]	7.54E-06	0.00E+00	5.64E-07	5.62E-07	0.00E+00	-3.52E-06
ADPF	[MJ]	2.86E+01	0.00E+00	8.77E+00	1.01E+01	0.00E+00	-2.10E+01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Solid Parquet Block (DK) 15 mm thickness (Untreated) RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	6.52E+01	0.00E+00	3.46E-02	6.79E-01	0.00E+00	-7.55E+00
PERM	[MJ]	1.83E+02	0.00E+00	0.00E+00	-1.83E+02	0.00E+00	0.00E+00
PERT	[MJ]	2.48E+02	0.00E+00	3.46E-02	-1.83E+02	0.00E+00	-7.55E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	3.23E+01	0.00E+00	2.45E+00	1.85E+00	0.00E+00	-2.34E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	3.55E-02	0.00E+00	2.73E-04	4.16E-03	0.00E+00	-2.56E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water						

Solid Parquet Block (DK) 15 mm thickness (Untreated)
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	7.18E-05	0.00E+00	6.40E-06	1.98E-05	0.00E+00	-2.08E-05
NHWD	[kg]	1.39E+00	0.00E+00	1.26E-01	7.16E-02	0.00E+00	-6.38E-02
RWD	[kg]	1.87E-04	0.00E+00	1.66E-05	5.70E-06	0.00E+00	-4.12E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	8.24E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.09E+01	0.00E+00	0.00E+00

Caption HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy

Solid Parquet Block (EU) 16 mm thickness (Untreated):
Solid Parquet Block (EU) 16 mm thickness (Untreated)
ENVIRONMENTAL IMPACTS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	3.34E+00	0.00E+00	1.71E-01	1.91E-01	0.00E+00	-1.52E+00
ODP	[kg CFC11-eq.]	3.50E-07	0.00E+00	9.94E-09	3.17E-08	0.00E+00	-6.10E-08
AP	[kg SO ₂ -eq.]	1.94E-02	0.00E+00	6.13E-04	1.71E-03	0.00E+00	-2.70E-03
EP	[kg PO ₄ ³⁻ -eq.]	8.60E-03	0.00E+00	1.21E-04	1.42E-03	0.00E+00	-1.95E-03
POCP	[kg ethene-eq.]	1.38E-03	0.00E+00	2.23E-05	4.68E-05	0.00E+00	-1.43E-04
ADPE	[kg Sb-eq.]	8.80E-06	0.00E+00	6.01E-07	6.00E-07	0.00E+00	-3.75E-06
ADPF	[MJ]	4.31E+01	0.00E+00	2.10E+01	1.88E+01	0.00E+00	-2.24E+01

Caption GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources

Solid Parquet Block (EU) 16 mm thickness (Untreated)
RESOURCE USE PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	4.73E+01	0.00E+00	3.69E-02	7.25E-01	0.00E+00	-8.05E+00
PERM	[MJ]	1.96E+02	0.00E+00	0.00E+00	-1.96E+02	0.00E+00	0.00E+00
PERT	[MJ]	2.43E+02	0.00E+00	3.69E-02	-1.95E+02	0.00E+00	-8.05E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	4.54E+01	0.00E+00	2.61E+00	1.97E+00	0.00E+00	-2.50E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	5.27E-02	0.00E+00	2.91E-04	4.44E-03	0.00E+00	-2.73E-02

Caption PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water

Solid Parquet Block (EU) 16 mm thickness (Untreated)
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	9.61E-05	0.00E+00	6.83E-06	2.11E-05	0.00E+00	-2.22E-05
NHWD	[kg]	2.28E+00	0.00E+00	1.34E-01	7.64E-02	0.00E+00	-6.80E-02
RWD	[kg]	2.14E-04	0.00E+00	1.77E-05	6.08E-06	0.00E+00	-4.39E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	8.78E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.29E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy						

Whalebone 16 mm thickness (Untreated):

Whalebone 16 mm thickness (Untreated)
ENVIRONMENTAL IMPACTS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	3.27E+00	0.00E+00	1.71E-01	1.91E-01	0.00E+00	-1.52E+00
ODP	[kg CFC11-eq.]	3.50E-07	0.00E+00	9.94E-09	3.17E-08	0.00E+00	-6.10E-08
AP	[kg SO ₂ -eq.]	1.89E-02	0.00E+00	6.13E-04	1.71E-03	0.00E+00	-2.70E-03
EP	[kg PO ₄ ³⁻ -eq.]	8.18E-03	0.00E+00	1.21E-04	1.42E-03	0.00E+00	-1.95E-03
POCP	[kg ethene-eq.]	1.36E-03	0.00E+00	2.23E-05	4.68E-05	0.00E+00	-1.43E-04
ADPE	[kg Sb-eq.]	8.78E-06	0.00E+00	6.01E-07	6.00E-07	0.00E+00	-3.75E-06
ADPF	[MJ]	4.24E+01	0.00E+00	2.05E+01	1.86E+01	0.00E+00	-2.24E+01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Whalebone 16 mm thickness (Untreated)
RESOURCE USE PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	4.74E+01	0.00E+00	3.69E-02	7.25E-01	0.00E+00	-8.05E+00
PERM	[MJ]	1.96E+02	0.00E+00	0.00E+00	-1.96E+02	0.00E+00	0.00E+00
PERT	[MJ]	2.43E+02	0.00E+00	3.69E-02	-1.95E+02	0.00E+00	-8.05E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	4.49E+01	0.00E+00	2.61E+00	1.97E+00	0.00E+00	-2.50E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	4.99E-02	0.00E+00	2.91E-04	4.44E-03	0.00E+00	-2.73E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water						

Whalebone 16 mm thickness (Untreated)							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	9.62E-05	0.00E+00	6.83E-06	2.11E-05	0.00E+00	-2.22E-05
NHWD	[kg]	2.26E+00	0.00E+00	1.34E-01	7.64E-02	0.00E+00	-6.80E-02
RWD	[kg]	2.16E-04	0.00E+00	1.77E-05	6.08E-06	0.00E+00	-4.39E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	8.78E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.29E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy						

Chevron 16 mm thickness (Untreated):

Chevron 16 mm thickness (Untreated)							
ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	3.33E+00	0.00E+00	1.71E-01	1.91E-01	0.00E+00	-1.52E+00
ODP	[kg CFC11-eq.]	3.47E-07	0.00E+00	9.94E-09	3.17E-08	0.00E+00	-6.10E-08
AP	[kg SO ₂ -eq.]	1.94E-02	0.00E+00	6.13E-04	1.71E-03	0.00E+00	-2.70E-03
EP	[kg PO ₄ ³⁻ -eq.]	8.59E-03	0.00E+00	1.21E-04	1.42E-03	0.00E+00	-1.95E-03
POCP	[kg ethene-eq.]	1.38E-03	0.00E+00	2.23E-05	4.68E-05	0.00E+00	-1.43E-04
ADPE	[kg Sb-eq.]	8.77E-06	0.00E+00	6.01E-07	6.00E-07	0.00E+00	-3.75E-06
ADPF	[MJ]	4.29E+01	0.00E+00	2.10E+01	1.86E+01	0.00E+00	-2.24E+01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Chevron 16 mm thickness (Untreated)							
RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	4.73E+01	0.00E+00	3.69E-02	7.25E-01	0.00E+00	-8.05E+00
PERM	[MJ]	1.96E+02	0.00E+00	0.00E+00	-1.96E+02	0.00E+00	0.00E+00
PERT	[MJ]	2.43E+02	0.00E+00	3.69E-02	-1.95E+02	0.00E+00	-8.05E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	4.52E+01	0.00E+00	2.61E+00	1.97E+00	0.00E+00	-2.50E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	5.27E-02	0.00E+00	2.91E-04	4.44E-03	0.00E+00	-2.73E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water						

Chevron 16 mm thickness (Untreated)
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	9.56E-05	0.00E+00	6.83E-06	2.11E-05	0.00E+00	-2.22E-05
NHWD	[kg]	2.26E+00	0.00E+00	1.34E-01	7.64E-02	0.00E+00	-6.80E-02
RWD	[kg]	2.12E-04	0.00E+00	1.77E-05	6.08E-06	0.00E+00	-4.39E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	8.78E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.29E+01	0.00E+00	0.00E+00

Caption HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy

Solid Line 10 mm thickness (Untreated):
Solid Line 10 mm thickness (Untreated)
ENVIRONMENTAL IMPACTS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	1.67E+00	0.00E+00	1.07E-01	1.19E-01	0.00E+00	-9.50E-01
ODP	[kg CFC11-eq.]	2.22E-07	0.00E+00	9.26E-09	1.98E-08	0.00E+00	-3.81E-08
AP	[kg SO ₂ -eq.]	8.68E-03	0.00E+00	3.83E-04	1.07E-03	0.00E+00	-1.69E-03
EP	[kg PO ₄ ³⁻ -eq.]	3.51E-03	0.00E+00	7.58E-05	8.88E-04	0.00E+00	-1.22E-03
POCP	[kg ethene-eq.]	7.45E-04	0.00E+00	1.39E-05	2.93E-05	0.00E+00	-8.93E-05
ADPE	[kg Sb-eq.]	5.82E-06	0.00E+00	3.76E-07	3.75E-07	0.00E+00	-2.34E-06
ADPF	[MJ]	2.24E+01	0.00E+00	7.97E+00	1.13E+01	0.00E+00	-1.40E+01

Caption GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources

Solid Line 10 mm thickness (Untreated)
RESOURCE USE PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	3.28E+01	0.00E+00	2.31E-02	4.53E-01	0.00E+00	-5.03E+00
PERM	[MJ]	1.25E+02	0.00E+00	0.00E+00	-1.25E+02	0.00E+00	0.00E+00
PERT	[MJ]	1.57E+02	0.00E+00	2.31E-02	-1.24E+02	0.00E+00	-5.03E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.48E+01	0.00E+00	1.63E+00	1.23E+00	0.00E+00	-1.56E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	1.96E-02	0.00E+00	1.82E-04	2.78E-03	0.00E+00	-1.70E-02

Caption PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water

Solid Line 10 mm thickness (Untreated)							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	6.07E-05	0.00E+00	4.27E-06	1.32E-05	0.00E+00	-1.39E-05
NHWD	[kg]	1.38E+00	0.00E+00	8.40E-02	4.78E-02	0.00E+00	-4.25E-02
RWD	[kg]	1.44E-04	0.00E+00	1.10E-05	3.80E-06	0.00E+00	-2.75E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	5.47E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	2.06E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy						

Industrial Parquet 10 mm thickness (Untreated):

Industrial Parquet 10 mm thickness (Untreated)							
ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	2.15E+00	0.00E+00	1.07E-01	1.19E-01	0.00E+00	-9.50E-01
ODP	[kg CFC11-eq.]	2.82E-07	0.00E+00	9.26E-09	1.98E-08	0.00E+00	-3.80E-08
AP	[kg SO ₂ -eq.]	1.25E-02	0.00E+00	3.83E-04	1.07E-03	0.00E+00	-1.69E-03
EP	[kg PO ₄ ³⁻ -eq.]	3.58E-03	0.00E+00	7.58E-05	8.88E-04	0.00E+00	-1.22E-03
POCP	[kg ethene-eq.]	8.64E-04	0.00E+00	1.39E-05	2.93E-05	0.00E+00	-8.90E-05
ADPE	[kg Sb-eq.]	6.61E-06	0.00E+00	3.76E-07	3.75E-07	0.00E+00	-2.30E-06
ADPF	[MJ]	2.96E+01	0.00E+00	1.01E+01	1.64E+01	0.00E+00	-1.40E+01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Industrial Parquet 10 mm thickness (Untreated)							
RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	3.08E+01	0.00E+00	2.31E-02	4.53E-01	0.00E+00	-5.03E+00
PERM	[MJ]	1.22E+02	0.00E+00	0.00E+00	-1.22E+02	0.00E+00	0.00E+00
PERT	[MJ]	1.53E+02	0.00E+00	2.31E-02	-1.22E+02	0.00E+00	-5.03E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	1.53E+02	0.00E+00	2.31E-02	4.53E-01	0.00E+00	-5.03E+00
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	1.80E-02	0.00E+00	1.82E-04	2.78E-03	0.00E+00	-1.70E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water						

Industrial Parquet 10 mm thickness (Untreated)
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	7.27E-05	0.00E+00	4.27E-06	1.32E-05	0.00E+00	-1.39E-05
NHWD	[kg]	1.86E+00	0.00E+00	8.40E-02	4.78E-02	0.00E+00	-4.25E-02
RWD	[kg]	2.44E-04	0.00E+00	1.10E-05	3.80E-06	0.00E+00	-2.75E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	5.47E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	2.06E+01	0.00E+00	0.00E+00

Caption HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy

End Grain Floor 15 mm thickness (Untreated):
End Grain Floor 15 mm thickness (Untreated)
ENVIRONMENTAL IMPACTS PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	3.33E+00	0.00E+00	1.61E-01	1.79E-01	0.00E+00	-1.43E+00
ODP	[kg CFC11-eq.]	3.64E-07	0.00E+00	9.83E-09	2.97E-08	0.00E+00	-5.72E-08
AP	[kg SO ₂ -eq.]	1.89E-02	0.00E+00	5.75E-04	1.60E-03	0.00E+00	-2.53E-03
EP	[kg PO ₄ ³⁻ -eq.]	8.24E-03	0.00E+00	1.14E-04	1.33E-03	0.00E+00	-1.83E-03
POCP	[kg ethene-eq.]	1.32E-03	0.00E+00	2.09E-05	4.39E-05	0.00E+00	-1.34E-04
ADPE	[kg Sb-eq.]	8.74E-06	0.00E+00	5.64E-07	5.62E-07	0.00E+00	-3.52E-06
ADPF	[MJ]	4.34E+01	0.00E+00	1.96E+01	2.05E+01	0.00E+00	-2.10E+01

Caption GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources

End Grain Floor 15 mm thickness (Untreated)
RESOURCE USE PER 1 m²

Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	4.46E+01	0.00E+00	3.46E-02	6.79E-01	0.00E+00	-7.55E+00
PERM	[MJ]	1.83E+02	0.00E+00	0.00E+00	-1.83E+02	0.00E+00	0.00E+00
PERT	[MJ]	2.28E+02	0.00E+00	3.46E-02	-1.83E+02	0.00E+00	-7.55E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	4.58E+01	0.00E+00	2.45E+00	1.85E+00	0.00E+00	-2.34E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	5.03E-02	0.00E+00	2.73E-04	4.16E-03	0.00E+00	-2.56E-02

Caption PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water

End Grain Floor 15 mm thickness (Untreated)							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	9.72E-05	0.00E+00	6.40E-06	1.98E-05	0.00E+00	-2.08E-05
NHWD	[kg]	2.41E+00	0.00E+00	1.26E-01	7.16E-02	0.00E+00	-6.38E-02
RWD	[kg]	2.21E-04	0.00E+00	1.66E-05	5.70E-06	0.00E+00	-4.12E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	8.24E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.09E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy						

Mosaic Parquet 8 mm thickness (Untreated):

Mosaic Parquet 8 mm thickness (Untreated)							
ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	1.92E+00	0.00E+00	8.57E-02	9.53E-02	0.00E+00	-7.60E-01
ODP	[kg CFC11-eq.]	1.99E-07	0.00E+00	9.03E-09	1.59E-08	0.00E+00	-3.10E-08
AP	[kg SO ₂ -eq.]	1.07E-02	0.00E+00	3.07E-04	8.56E-04	0.00E+00	-1.35E-03
EP	[kg PO ₄ ³⁻ -eq.]	4.78E-03	0.00E+00	6.06E-05	7.10E-04	0.00E+00	-9.80E-04
POCP	[kg ethene-eq.]	7.68E-04	0.00E+00	1.12E-05	2.34E-05	0.00E+00	-7.10E-05
ADPE	[kg Sb-eq.]	5.73E-06	0.00E+00	3.01E-07	3.00E-07	0.00E+00	-1.90E-06
ADPF	[MJ]	2.54E+01	0.00E+00	1.18E+01	1.05E+01	0.00E+00	-1.12E+01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Mosaic Parquet 8 mm thickness (Untreated)							
RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	2.57E+01	0.00E+00	2.16E+00	3.62E-01	0.00E+00	-2.59E+00
PERM	[MJ]	9.78E+01	0.00E+00	0.00E+00	-9.78E+01	0.00E+00	0.00E+00
PERT	[MJ]	1.23E+02	0.00E+00	2.16E+00	-9.74E+01	0.00E+00	-2.59E+00
PENRE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.70E+01	0.00E+00	1.31E+00	9.85E-01	0.00E+00	-1.25E+01
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	3.25E-02	0.00E+00	1.46E-04	2.22E-03	0.00E+00	-1.36E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Use of net fresh water						

Mosaic Parquet 8 mm thickness (Untreated)							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	5.26E-05	0.00E+00	3.41E-06	1.05E-05	0.00E+00	-1.11E-05
NHWD	[kg]	1.26E+00	0.00E+00	6.72E-02	3.82E-02	0.00E+00	-3.40E-02
RWD	[kg]	1.26E-04	0.00E+00	8.84E-06	3.04E-06	0.00E+00	-2.20E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	4.39E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	1.65E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy						

Supplementary Datasets – Lacquer Treatment

Lacquer Treatment							
ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	7.10E-01	0.00E+00	1.27E-03	4.78E-01	0.00E+00	-1.91E-01
ODP	[kg CFC11-eq.]	5.14E-08	0.00E+00	2.38E-10	3.21E-10	0.00E+00	-7.70E-09
AP	[kg SO ₂ -eq.]	2.90E-03	0.00E+00	4.60E-06	3.72E-05	0.00E+00	-3.40E-04
EP	[kg PO ₄ ³⁻ -eq.]	8.57E-04	0.00E+00	9.06E-07	3.15E-05	0.00E+00	-2.40E-04
POCP	[kg ethene-eq.]	2.97E-04	0.00E+00	1.65E-07	7.74E-07	0.00E+00	-1.80E-05
ADPE	[kg Sb-eq.]	6.20E-06	0.00E+00	3.93E-09	1.24E-08	0.00E+00	-4.70E-07
ADPF	[MJ]	1.46E+01	0.00E+00	1.92E-02	2.99E-02	0.00E+00	-2.83E+00
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Lacquer Treatment							
RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	5.51E-01	0.00E+00	2.67E-04	1.47E-03	0.00E+00	-9.91E-01
PERM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	5.51E-01	0.00E+00	2.67E-04	1.47E-03	0.00E+00	-9.91E-01
PENRE	[MJ]	9.92E+00	0.00E+00	1.96E-02	3.17E-02	0.00E+00	-3.14E+00
PENRM	[MJ]	5.60E+00	0.00E+00	0.00E+00	-5.60E+00	0.00E+00	0.00E+00
PENRT	[MJ]	1.55E+01	0.00E+00	1.96E-02	-5.57E+00	0.00E+00	-3.14E+00
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	1.56E-02	0.00E+00	2.24E-06	1.06E-04	0.00E+00	-3.36E-03
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water						

Lacquer Treatment							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	8.92E-06	0.00E+00	4.99E-08	1.02E-06	0.00E+00	-2.80E-06
NHWD	[kg]	9.59E-02	0.00E+00	1.31E-03	5.88E-03	0.00E+00	-8.40E-03
RWD	[kg]	2.79E-05	0.00E+00	1.33E-07	8.47E-08	0.00E+00	-5.40E-06
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	1.12E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	4.20E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy						

Supplementary Datasets – Oil Treatment

Oil Treatment							
ENVIRONMENTAL IMPACTS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
GWP	[kg CO ₂ -eq.]	2.98E-01	0.00E+00	1.27E-03	1.19E-01	0.00E+00	-6.37E-02
ODP	[kg CFC11-eq.]	2.10E-08	0.00E+00	2.38E-10	8.02E-11	0.00E+00	-2.60E-09
AP	[kg SO ₂ -eq.]	7.56E-04	0.00E+00	4.60E-06	9.31E-06	0.00E+00	-1.10E-04
EP	[kg PO ₄ ³⁻ -eq.]	3.96E-03	0.00E+00	9.06E-07	7.87E-06	0.00E+00	-8.00E-05
POCP	[kg ethene-eq.]	1.03E-04	0.00E+00	1.65E-07	1.93E-07	0.00E+00	-5.90E-06
ADPE	[kg Sb-eq.]	1.46E-06	0.00E+00	3.93E-09	3.09E-09	0.00E+00	-1.60E-07
ADPF	[MJ]	1.80E+00	0.00E+00	1.92E-02	7.49E-03	0.00E+00	-9.43E-01
Caption	GWP = Global warming potential; ODP = Ozone depletion potential; AP = Acidification potential of soil and water; EP = Eutrophication potential; POCP = Photochemical ozone creation potential; ADPE = Abiotic depletion potential for non fossil resources; ADPF = Abiotic depletion potential for fossil resources						

Oil Treatment							
RESOURCE USE PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	2.26E-01	0.00E+00	2.67E-04	3.67E-04	0.00E+00	-3.30E-01
PERM	[MJ]	1.85E+00	0.00E+00	0.00E+00	-1.85E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.08E+00	0.00E+00	2.67E-04	-1.85E+00	0.00E+00	-3.30E-01
PENRE	[MJ]	2.46E+00	0.00E+00	1.96E-02	7.92E-03	0.00E+00	-1.05E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.46E+00	0.00E+00	1.96E-02	7.92E-03	0.00E+00	-1.05E+00
SM	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	7.07E-03	0.00E+00	2.24E-06	2.64E-05	0.00E+00	-1.12E-03
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water						

Oil Treatment							
WASTE CATEGORIES AND OUTPUT FLOWS PER 1 m ²							
Parameter	Unit	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	1.23E-04	0.00E+00	4.99E-08	2.54E-07	0.00E+00	-9.40E-07
NHWD	[kg]	3.91E-02	0.00E+00	1.31E-03	1.47E-03	0.00E+00	-2.80E-03
RWD	[kg]	1.39E-05	0.00E+00	1.33E-07	2.12E-08	0.00E+00	-1.80E-06
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	3.70E-01	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	1.39E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy						

Checked and approved by



Linda Høiby
Third party verifier of MD-22072-EN



Martha Katrine Sørensen
EPD Danmark